



# FLANGED TYPE THERMOWELLS

## 420 SERIES – STRAIGHT SHANK




PART NUMBER	B BORE	D	FLANGE
422B	0.260	5/8	Any
422C*	0.260	3/4	Any
422D	0.260	49/64	Any
422E	0.260	7/8	Any
422F	0.260	1	Any
422G	0.260	1 1/16	Any
424C	0.385	3/4	Any
424D	0.385	49/64	Any
424E*	0.385	7/8	Any
424F	0.385	1	Any
424G	0.385	1 1/16	Any

## 430 SERIES – TAPERED SHANK



PART NUMBER	B BORE	Q	D	FLANGE
432CA	0.260	3/4	1/2	Any
432EB*	0.260	7/8	5/8	Any
432EC	0.260	7/8	3/4	Any
432ED	0.260	7/8	49/64	Any
432FB	0.260	1	5/8	Any
432FC	0.260	1	3/4	Any
432FD	0.260	1	49/64	Any
432GB	0.260	1 1/16	5/8	Any
432KC	0.260	1 1/4	3/4	Any
434EC	0.385	7/8	3/4	Any
434ED	0.385	7/8	49/64	Any
434FB	0.385	1	5/8	Any
434FC	0.385	1	3/4	Any
434FD*	0.385	1	49/64	Any
434GC	0.385	1 1/16	3/4	Any
434KE	0.385	1 1/4	7/8	Any

## 440 SERIES – STEPPED SHANK




PART NUMBER	B BORE	Q	FLANGE
442B	0.260	5/8	Any
442C	0.260	3/4	Any
442E*	0.260	7/8	Any

Items preceded by an asterisk are the most commonly ordered sizes. In the absence of universally recognized thermowell standards, these items may be considered to be "standard sizes".

TO ORDER ANY FLANGED TYPE THERMOWELL SPECIFY:

FP 422C-18-M304-T2-1/4-1-1/2" 150#RF



# SANDELIUS THERMOWELLS

## MATERIAL DESIGNATIONS FOR SANDELIUS THERMOWELLS

ORDER CODE	MATERIAL	ORDER CODE	MATERIAL	ORDER CODE	MATERIAL
M304	304 Stainless Steel	MF5	Alloy Steel A182-F5	M602	Inconel 602
M304L	304L Stainless Steel	MF9	Alloy Steel A182-F9	M617	Inconel 617
M304H	304H Stainless Steel	MF11	Alloy Steel A182-F11	M625	Inconel 625
M309	309 Stainless Steel	MF22	Alloy Steel A182-F22	M686	Inconel 686
M310	310 Stainless Steel	M6061	Aluminum 6061-T6	M718	Inconel 718
M316	316 Stainless Steel	M360	Brass 360	M750	Inconel X-750
M316L	316L Stainless Steel	M1018	Carbon Steel C-1018	MPVDF	Kynar
M316H	316H Stainless Steel	MA105	Carbon Steel A105	M400	Monel 400
M317	317 Stainless Steel	M276	Hastelloy C-276	M405	Monel 405
M317L	317L Stainless Steel	M278	Hastelloy B-3	M500	Monel K-500
M317H	317H Stainless Steel	M279	Hastelloy B-2	M200	Nickel 200
M321	321 Stainless Steel	M160	Haynes HR 160	MTFEM	Teflon, PTFE Mechanical Grade
M347	347 Stainless Steel	M800	Incoloy 800	MTFEV	Teflon, PTFE Virgin Grade
M347H	347H Stainless Steel	M800H	Incoloy 800H	M152	Titanium Grade 2
M410	410 Stainless Steel	M800HT	Incoloy 800HT	M155	Titanium Grade 5
M446	446 Stainless Steel	M825	Incoloy 825	MZ702	Zirconium R60702
M2205	2205 Duplex Stainless Steel	M600	Inconel 600	MY99	Other Material, Specify
MA20	Alloy 20 Stainless Steel	M601	Inconel 601		

## OPTIONAL FEATURES

The following are some of the optional features available on Sandelius thermowells. To order a thermowell with any of the listed options simply add the suffix (or suffixes by dashes) at the end of the thermowell part number. If an optional requirement must be in compliance with a precise specification or procedure, please reference this on your order. Consult factory for special requirements not listed below.

SUFFIX	OPTIONAL FEATURE
BC	Brass plug with stainless steel chain
SC	Stainless steel plug and chain
TAOS	Tantalum over sheath (Available on 420 series flanged type and 520 series Van Stone type)
	<b>Pressure Testing Options</b>
PT(xxxx) PT(xxxx) X(x)	Internal Hydrostatic Pressure Test at stated pressure (psi). Example PT1000 = Internal Pressure Test at 1,000 psi. If there is a specific time requirement, add an "X" then add the time required in minutes. Example: PT2000 X 15 = Internal Pressure Test at 2000 psi for 15 minutes
EP(xxxx) EP(xxxx) X(x)	External Hydrostatic Pressure Test at stated pressure (psi). Example EP1000 = External Pressure Test at 1,500 psi. If there is a specific time requirement, add an "X" then add the time required in minutes. Example: EP2500 X 15 = External Pressure Test at 2500 psi for 15 minutes
	<b>Weld Checking &amp; Performance Options</b>
DB	Dye Penetrant Check – both root and final pass of flange weld
DC	Dye Penetrant Check – final cover pass of flange weld
DR	Dye Penetrant Check – root pass of flange weld
RX	Radiographic examination (X-Ray) of flange weld
PW	Post weld heat treatment
QW	Qualified welder
WP	Weld procedure specification
	<b>Material Testing Options</b>
MT	Material Test Reports
NA	NACE MR-01-75. <i>Thermowell must be made of a NACE recognized material.</i>
YNA	NACE MR-01-03. <i>Thermowell must be made of a NACE recognized material.</i>
PM	Positive material identification
	<b>Cleaning Options</b>
CO	Clean for Oxygen service
CC	Clean for Chlorine service
	<b>Special Certifications</b>
CR	Canadian Registration Number (Canadian province must be specified on order).
	<b>Special Coatings, Stellite or Alloy Welded Tips</b>
Consult Factory	Many types of coatings can be applied to thermowells to add corrosion and/or wear resistance (See page B-12 of this catalog). Thermowells can also be fitted with special welded-on alloy tips made of Stellite or other materials. The number of possible variations is virtually limitless. If you have a special design you need manufactured or would like to investigate possible new, special designs that may improve service life in your application, please call us. We will be glad to work with you.